

Message

From: [Nonresponsive based on revised scope]
Sent: 8/14/2019 8:10:54 PM
To: Burman, Jarmael [Burman.Jarmael@epa.gov]
CC: Wagner, Christine [Wagner.Christine@epa.gov]
Subject: RE: Submitted ARF 2.1 for Site: SHILOH CHURCH ROAD STIE

Hello Jay,

ICP-AES will be fine.

Thank you,

[Nonresponsive based on revised scope]

-----Original Message-----

From: Burman, Jarmael [mailto:Burman.Jarmael@epa.gov]
Sent: Wednesday, August 14, 2019 2:46 PM
To: [Nonresponsive based on revised scope]
Cc: Wagner, Christine <Wagner.Christine@epa.gov>
Subject: RE: Submitted ARF 2.1 for Site: SHILOH CHURCH ROAD STIE

** External Email **

[Nonresponsive based on revised scope]

Should the Metals be analyzed by ICP-AES or ICP-MS?

Jarmael A. Burman
US EPA Region 3 - CLP PO/RSCC/DDS
701 Mapes Road
Fort Meade, Maryland 20755-5350
(410) 305-2743 (office)
(410) 305-3095 (fax)

-----Original Message-----

From: R3 Clients <R3_Clients@epa.gov>
Sent: Wednesday, August 14, 2019 12:18 PM
To: R3 ESC-CLIENTS <R3_ESCCLIENTS@epa.gov>
Subject: FW: Submitted ARF 2.1 for Site: SHILOH CHURCH ROAD STIE

From: [Nonresponsive based on revised scope]
Sent: Wednesday, August 14, 2019 12:18:20 PM (UTC-05:00) Eastern Time (US & Canada)
To: Wagner, Christine
Cc: R3 Clients; McDonald, Brandon; [Nonresponsive based on revised scope]
Subject: RE: Submitted ARF 2.1 for Site: SHILOH CHURCH ROAD STIE

Hi Christine,

My apologies, I did not remove the mercury and cyanide CRQLs from the CRQL attachment. Mercury and cyanide were not requested on the actual ARF.

[Nonresponsive based on revised scope]

-----Original Message-----

From: Wagner, Christine [mailto:Wagner.Christine@epa.gov]
Sent: Wednesday, August 14, 2019 12:00 PM
To: [Nonresponsive based on revised scope]
Cc: R3 Clients <R3_Clients@epa.gov>; McDonald, Brandon <McDonald.Brandon@epa.gov>; [Nonresponsive based on revised scope]
Subject: Re: Submitted ARF 2.1 for Site: SHILOH CHURCH ROAD STIE

Nonresponsive based on revised scope

** External Email **

Nonresponsive based on revised scope

This is incorrect. Requested analyses does NOT include mercury or cyanide

Thank you
Chris

> On Aug 13, 2019, at 3:24 PM, Lambert, Tara <Tara.Lambert@westonsolutions.com> wrote:

>

> Good Afternoon,

>

> Attached is an analytical request form for soil sampling scheduled from 8/21/19 - 9/18/19 at Shiloh Church Road. Data validation is not requested as this is for the determination of extent of contamination and confirmation. If you have any questions, please let me know.

>

> Thank you,

>

>

>

Nonresponsive based on revised scope

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

>

> *****

> This email will be sent to the following EPA staff as part of the email group R3_Clients:

>

>

> Burman, Jarmael <Burman.Jarmael@epa.gov>; Caporale, Cynthia

> <Caporale.Cynthia@epa.gov>; Costa, Karen <Costa.Karen@epa.gov>;

> Costas, Robin <Costas.Robin@epa.gov>; Fortune, Warren

> <fortune.warren@epa.gov>; Ghimire, Aneesh <ghimire.aneesh@epa.gov>;

> Payne, Patrick <payne.patrick@epa.gov>; Poff, Kevin

> <Poff.Kevin@epa.gov>; Sassin, Pepa <Sassin.Pepa@epa.gov>

> CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

> <Shiloh Church ARF August 2019.pdf>

> <metals_CRQLs.xls>

> <PCB_CRQLs.xls>

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.